

Аксессуары

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: eag@nt-rt.ru || сайт: <https://eloma.nt-rt.ru/>

[illegible]

[illegible][illegible]

[illegible]




BNL G-1.00, www.cerbo.com/it/ENIG/Modulo

ART.-NR.

BACKMASTER	EB 30	MT
BACKMASTER	EB 30 XL	MT
GENIUS	MULTIMAX 6-11	MT
GENIUS	MULTIMAX 10-11	MT
GENIUS	MULTIMAX 20-11	MT
GENIUS	MULTIMAX 20-21	MT
JOKER	6-23	
JOKER	6-43	
JOKER	6-11	

HOTSPOT ALUMINIUM GRILL AND PIZZA TRAY



GN 2/3 grill and pizza tray	EL0503266								●		
GN 1/1 grill and pizza tray	EL0503274			●	●	●	●	●			●

CHICKEN GRID, STAINLESS STEEL





GN 2/3 capacity: 4 chickens	EL0515558									●		
GN 1/1 capacity: 8 chickens	EL0500404			●	●	●	●	●				●

FLEXIFRY FRYING BASKET

[illegible]

BAKING TRAY, ALUMINUM, PERFORATED

[illegible]BAKING TRAY ALUMINIUM, KG FLON
COATED, PERFORATED[illegible]BAKE AND GRIDDLE TRAY, KG FLON
COATED[illegible]

GN 2/3 = 325 x 354 mm GN 1/1 = 325 x 530 mm GN 2/1 = 650 x 530 mm BN 43 = 440 x 350 mm
BN 64 = 600 x 400 mm

ACCESSORIES

MULTI-ECO-CONDENSATION-HOODS

BACKMASTER, GENIUS ^{MT}, MULTIMAX



ART.-NR.	BACKMASTER EB 30 ^{MT}	BACKMASTER EB 30 XL ^{MT}	GENIUS ^{MT} MULTIMAX 6-11	GENIUS ^{MT} MULTIMAX 10-11	GENIUS ^{MT} MULTIMAX 20-11	GENIUS ^{MT} 12-21	GENIUS ^{MT} MULTIMAX 20-21
----------	--------------------------------	-----------------------------------	------------------------------------	-------------------------------------	-------------------------------------	----------------------------	-------------------------------------

MULTI-ECO CONDENSATION HOODS (ELECTRIC ONLY)

B KH1 (not retrofittable)	EL0504141	●					
B KH1 XL (not retrofittable)	EL0504142		●				
KH2 (factory-assembled)	EL2004324			●	●		
KH2 LA* (factory-assembled)	EL2004325			●	●		
N-KH2 (retrofittable)	EL2004328			●	●		
N-KH2 LA* (retrofittable)	EL2003760			●	●		
KH3 (factory-assembled)	EL0780332					●	
KH4 (factory-assembled)	EL0755079						●
Air repellent backside KH2 / KH2 Mix	EL0509072			●	●		

MULTI-ECO CONDENSATION HOODS COMBI STEAMERS FOR COMBIMIX (ELECTRIC ONLY)

KH2 Mix (factory-assembled)	EL2004327			●	●		
KH2 LA* Mix (factory-assembled)	EL2004326			●	●		
N-KH2 Mix (retrofittable)	EL2003779			●	●		
N-KH2 LA* Mix (retrofittable)	EL2003780			●	●		

MULTI-ECO CONDENSATION HOODS BAKING OVENS FOR COMBIMIX (ELECTRIC ONLY)

DK1 Mix EB 30 ^{MT} (factory-assembled)	EL0504618	●					
DK1 Mix EB 30 XL ^{MT} (factory-assembled)	EL0504931		●				
N-BS DK1 Mix EB 30 ^{MT} (retrofit kit additional and for DK1)	EL2005039	●					
N-BS DK1 Mix EB 30 XL ^{MT} (retrofit kit additional and for DK1)	EL2005019		●				

ACCESSORIES

MULTI-ECO-CONDENSATION-HOODS

JOKER



MULTI-ECO-CODENSATIONS-HOODS

Control on top: KH1	EL2006636	●					
Control on side: KH1	EL2006678		●				
Control on top: KH1	EL2006645			●			
Control on side: KH1	EL2006679				●		
Control on top: KH1	EL2006646					●	
Control on side: KH1	EL2006680						●
Potential free contact	EL2007710	●	●	●	●	●	●

KH 1 Mix Control on top	EL2006856	●					
KH 1 Mix Control on side	EL2006859		●				
KH 1 Mix Control on top	EL2006857			●			
KH 1 Mix Control on side	EL2006860				●		
KH 1 Mix Control on top	EL2006858					●	
KH 1 Mix Control on side	EL2006861						●

ART.-NR.

JOKER 6-23 CONTROL ON TOP
JOKER 6-23 CONTROL ON SIDE
JOKER 6-43 CONTROL ON TOP
JOKER 6-43 CONTROL ON SIDE
JOKER 6-11 CONTROL ON TOP
JOKER 6-11 CONTROL ON SIDE

ACCESSORIES

HANGING RACKS

BACKMASTER, GENIUS^{MT}, MULTIMAX



ART.-NR.

BACKMASTER EB 30^{MT}
BACKMASTER EB 30 XL^{MT}
GENIUS^{MT} MULTIMAX 6-11
GENIUS^{MT} MULTIMAX 10-11
GENIUS^{MT} MULTIMAX 20-11
GENIUS^{MT} 12-21
GENIUS^{MT} MULTIMAX 20-21

SPECIAL HANGING RACKS

EHG Vario (GN or BN 64) 7 levels x 67 mm distance	EL0873381				•				
EHG Vario (GN or BN 64) 7 levels x 67 mm distance Exchanging standard rack, surcharge	EL0873381-AT				•				
EHG Vario (GN or BN 64) 11 levels x 67 mm distance	EL0509971					•			
EHG Vario (GN or BN 64) 11 levels x 67 mm distance Exchanging standard rack, surcharge	EL0509971-AT					•			
EHG BN/GN 5 levels x 85 mm distance	EL2004577				•				
EHG BN/GN 5 levels x 85 mm distance Exchanging standard rack, surcharge	EL2004577-AT				•				
EHG BN/GN in one, 5 levels x 85 mm distance Exchanging standard rack, surcharge*	EL2004577-ATBME				•				
EHG BN/GN 8 levels x 85 mm distance	EL2004578					•			
EHG BN/GN 8 levels x 85 mm distance Exchanging standard rack, surcharge	EL2004578-AT					•			
EHG BN/GN 8 levels x 85 mm distance Exchanging standard rack, surcharge*	EL2004578-ATBME					•			

EHG butchery (BN 64) 6 levels x 75 mm distance	EL0773794				•				
EHG butchery (BN 64) 6 levels x 75 mm distance Exchanging standard rack, surcharge	EL0773794-AT				•				
EHG butchery (BN 64) 10 levels x 75 mm distance	EL0773808					•			
EHG butchery (BN 64) 10 levels x 75 mm distance Exchanging standard rack, surcharge	EL0773808-AT					•			
EHG Adapter Vario Convert® GN 1/1 on GN 2/4 (2 x EHG Vario are necessary)	EL2001384				•	•			
EHG 4 levels x 70 mm distance	EL0510482	•							
EHG 4 levels x 70 mm distance Exchanging standard rack, surcharge	EL0510482-AT	•							
EHG (BN 64) 6 levels x 73 mm distance	EL0509217				•				
EHG (BN 64) 6 levels x 73 mm distance Exchanging standard rack, surcharge	EL0509217-AT				•				
EHG (BN 64) 6 levels x 73 mm distance Exchanging standard rack, surcharge*	EL0509217-ATBME				•				
EHG (BN 64) 8 levels x 93 mm distance	EL0509218					•			
EHG (BN 64) 8 levels x 93 mm distance Exchanging standard rack, surcharge	EL0509218-AT					•			
EHG (BN 64) 8 levels x 93 mm distance Exchanging standard rack, surcharge*	EL0509218-ATBME					•			

* only GENIUS^{MT} Backmaster Edition

ACCESSORIES

HANGING RACKS

JOKER

ART.-NR.

JOKER 6-23 CONTROL ON TOP
JOKER 6-23 CONTROL ON SIDE
JOKER 6-43 CONTROL ON TOP
JOKER 6-43 CONTROL ON SIDE
JOKER 6-11 CONTROL ON TOP
JOKER 6-11 CONTROL ON SIDE

SPECIAL HANGING RACKS

EHG (GN 2/3) 4+1 levels x 84 mm distance	EL2006757-AT	●	●				
EHG (BN 43, GN 2/3) 4+1 levels x 84 mm distance	EL2006882-AT			●	●		
EHG (GN 1/1, BN 43) 4+1 levels x 84 mm distance	EL2006923-AT					●	●



ACCESSORIES

SUPPORT STANDS

BACKMASTER, GENIUS^{MT}, MULTIMAX


ART.-NR.	BACKMASTER EB 30 ^{MT}	BACKMASTER EB 30 XL ^{MT}	GENIUS ^{MT} MULTIMAX 6-11	GENIUS ^{MT} MULTIMAX 10-11	GENIUS ^{MT} MULTIMAX 20-11	GENIUS ^{MT} 12-21	GENIUS ^{MT} MULTIMAX 20-21
----------	--------------------------------	-----------------------------------	------------------------------------	-------------------------------------	-------------------------------------	----------------------------	-------------------------------------

SUPPORT STAND, HEIGHT 350 MM

Open with levels 3 x BN 43	EL0864498	●					
----------------------------	-----------	---	--	--	--	--	--



SUPPORT STAND, HEIGHT 570 MM



Basic open	EL0505901				●		
Open with levels 4 x BN 64	EL0506778				●		
Open with levels 8 x BN 64	EL0506779				●		
Open with levels 5 x GN 1/1	EL0506777				●		
2 sides closed, with levels, 2 x 5 GN 1/1	EL2005115				●		
2 sides closed, with levels, 2 x 5 GN 1/1 and door	EL2005116				●		
3 sides closed, with levels, 2 x 5 GN 1/1	EL2005117				●		
3 sides closed, with levels, 2 x 5 GN 1/1 and door	EL2005118				●		
Door for EL2005115 - EL2005118	EL2005119				●		



SUPPORT STAND, HEIGHT 850 MM



Basic open	EL0505895			●			
Open with levels 8 x BN 64	EL0505907			●			
Open with levels 16 x BN 64	EL0505908			●			
Open with levels 10 x GN 1/1	EL0505906			●			
2 sides closed, with levels, 2 x 10 GN 1/1	EL2005120			●			
2 sides closed, with levels, 2 x 10 GN 1/1 and door	EL2005121			●			
3 sides closed, with levels, 2 x 10 GN 1/1	EL2005122			●			
3 sides closed, with levels, 2 x 10 GN 1/1 and door	EL2005123			●			
Door for EL2005120 - EL2005123	EL2005124			●			



SUPPORT STAND, HEIGHT 1000 MM

Open with levels 10 x BN 43	EL0515574	●					
Open with levels 10 x BN 64	EL0517291		●				



SWIVEL CASTOR SET

For support stands (swivelling, lockable)	EL0504920	●	●	●	●		
---	-----------	---	---	---	---	--	--

ACCESSORIES

SUPPORT STANDS

JOKER



SUPPORT STAND, HEIGHT 150 MM

	ART.-NR.	JOKER 6-23 CONTROL ON TOP	JOKER 6-23 CONTROL ON SIDE	JOKER 6-43 CONTROL ON TOP	JOKER 6-43 CONTROL ON SIDE	JOKER 6-11 CONTROL ON TOP	JOKER 6-11 CONTROL ON SIDE
Control on top: UG 150 mm	EL2006265	●					
Control on side: UG 150 mm	EL2006303		●				
Control on top: UG 150 mm	EL2006309			●			
Control on side: UG 150 mm	EL2006310				●		
Control on top: UG 150 mm	EL2006309					●	
Control on side: UG 150 mm	EL2006310						●



SUPPORT STAND, HEIGHT 850 MM

Control on top: UG 850 mm	EL2006224	●					
Control on top: UG 850 mm mit Rollen	EL2006224-RL	●					
Control on side: UG 850 mm	EL2006313		●				
Control on side: UG 850 mm mit Rollen	EL2006313-RL		●				
Control on top: UG 850 mm	EL2006314			●		●	
Control on top: UG 850 mm mit Rollen	EL2006314-RL			●		●	
Control on side: UG 850 mm	EL2006315				●		●
Control on side: UG 850 mm mit Rollen	EL2006315-RL				●		●



OPTIONS FOR SUPPORT STANDS

Shelves for UG 850 mm	EL2006566	●	●				
Levels for UG 850 mm	EL2006899	●	●				
Shelves for UG 850 mm	EL2006567			●	●	●	●
Levels for UG 850 mm	EL2006900			●	●	●	●

WHEN USING EXISTING SUPPORT STAND

Adapter for existing support stand	EL2006898	●		●		●	
------------------------------------	-----------	---	--	---	--	---	--

ACCESSORIES

TROLLEYS, TRANSPORTATION RACKS

GENIUS^{MT}, MULTIMAX



HGW MOBILE TRAY RACK

	ART.-NR.	GENIUS ^{MT} MULTIMAX 6-11	GENIUS ^{MT} MULTIMAX 10-11	GENIUS ^{MT} MULTIMAX 20-11	GENIUS ^{MT} 12-21	GENIUS ^{MT} MULTIMAX 20-21
HGW 6-11, 6 x GN 1/1	EL0760722	●				
HGW 10-11, 10 x GN 1/1	EL0760730		●			
HGW 10-11, 8 x BN 64	EL0504315		●			
HGW 20-11, 20 x GN 1/1	EL0506878			●		
HGW 20-11, 17 x GN 1/1, max. rack height 1600 mm	EL2003873			●		
HGW 20-11, 16 x BN 64	EL0506909			●		
HGW 12-21, 12 x GN 2/1	EL0506908				●	
HGW 20-21, 20 x GN 2/1	EL0506897					●



TGW MOBILE PLATE RACK (MAX. Ø 32CM)

TGW 6-11, 18 plates	EL0760765	●				
TGW 10-11, 26 plates	EL0507574		●			
TGW 20-11, 54 plates	EL0506912			●		
TGW 12-21, 75 plates	EL0506911				●	
TGW 20-21, 123 plates	EL0506913					●



PUSH-IN FRAME & TRANSPORT TROLLEYS FOR HGW/TGW

Push-in frame GN / BN	EL0760668	●	●			
Transportation trolley 570 mm	EL0502566		●			
Transportation trolley 850 mm	EL0502567	●				





HGW / TGW THERMAL INSULATION COVER

Thermal insulation cover 6-11	EL0760838	●				
Thermal insulation cover 10-11	EL0760846		●			
Thermal insulation cover 20-11	EL0760862			●		
Thermal insulation cover 12-21	EL0760889				●	
Thermal insulation cover 20-21	EL0760900					●

Аксессуары и комплектующие:

	EL0131385 Уплотнитель двери резиновый для теплового шкафа WU 14
	EL013455 Уплотнительное кольцо 3,68x1,78 MA MB Genius-T 6-11 10-11
	EL0304816 Шайба стопорная универсальная DIN 6797 J5,3 V2A
	EL0307025 Кольцо уплотнительное ELOMA
	EL0501008 Шлейф для платы управления для GT
	EL0503168 Приводной вал
	EL0521701 Кольцо резиновое

	EL0565458 Замок дверной для WU14
	EL0581070 Вставка под ручной душ, круглая, синяя
	EL0589322 (ELE380002) Направляющие ELOMA для WU 14 99
	EL0614459 Пружина дверной ручки ELOMA 12-21, 20-21
	EL0742384 Уплотнитель двери резиновый для MB MA GT 20-11
	EL0743267 Трубка подачи воды в камеру для 6-11 10-11 20-11
	EL0753017 Трубка силиконовая d=50 10-11 20-11



EL0753807 Двигатель механизма Autoclean



EL0758388 Ручка дверного замка




EL0775185 Ступица системы Autoclean в сборе для всех моделей MB GT Joker




EL0781185 Плоская зажимная пластина для ёмкости сбора конденсата



EL0789291 Подшипник дверной нижний



EL0886300 Уплотнитель двери для расстоечного шкафа




EL0886319 Уплотнитель двери расстоечного шкафа ES 160



EL0953377 Вентилятор для Genius 6-11 10-11 20-11



**EL561738 Трубка подачи воды в камеру для
EB**



**ELE425206 Уплотнитель двери резиновый
ELOMA для EB 40**



**ELOMA Трубка подачи воды в камеру для
пароконвектоматов Backmaster EB 40/60/100**



**Вентилятор диаметральный для EB 100
ELOMA**



Гайка шестигранная универсальная



**Главная плата управления для
пароконвектомата**



Двигатель вентилятора камеры ELOMA



Клапан соленоидный одинарный Autoclean



Лампа галогеновая



Накладка дверной ручки



Осевой вентилятор вытяжного зонта



Осевой вентилятор для охлаждения пл. управления



Пробка-заглушка



Пускатель электронный



Ручка для душа с запорным клапаном



Флоуметр (расходомер)



Цветной жк дисплей для Genius T ELOMA



Шайба системы DIN ELOMA



Шланг для душа

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: eag@nt-rt.ru || сайт: <https://eloma.nt-rt.ru/>